

## Promotion MERCK TOP SELLERS.

Valable du 1<sup>er</sup> novembre au 21 décembre 2022.

**-25%**

Sur les 100 articles les plus vendus du catalogue:

### **6 - Bio Applications**

Voir conditions à la fin du document.

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
001	M3148-25ML	2-Mercaptoethanol, for molecular biology, suitable for electrophoresis, suitable for cell culture, BioReagent, 99% (GC/titration)	25	ML	29.8	<b>22.35</b>
002	A6964-100ML	Accutase(R) solution, sterile-filtered, suitable for cell culture	100	ML	101.00	<b>75.75</b>
003	A7262-2.5KG	Ammonium acetate, reagent grade, >=98%	2.5	KG	219.00	<b>164.25</b>
004	A7262-5KG	Ammonium acetate, reagent grade, >=98%	5	KG	417.00	<b>312.75</b>
005	A2939-500G	Ammonium sulfate, BioXtra, >=99.0%	500	G	199.00	<b>149.25</b>
006	A9528-50MG	Amphotericin B solubilized, powder, gamma-irradiated, BioXtra, suitable for cell culture	50	MG	93.3	<b>69.98</b>
007	A9528-100MG	Amphotericin B solubilized, powder, gamma-irradiated, BioXtra, suitable for cell culture	100	MG	170.00	<b>127.50</b>
008	A5955-100ML	Antibiotic Antimycotic Solution (100x), Stabilized, with 10,000 units penicillin, 10 mg streptomycin and 25 mug amphotericin B per mL, 0.1 mum filtered, BioReagent, suitable for cell culture	100	ML	57.40	<b>43.05</b>
009	A8806-5G	Bovine Serum Albumin, fatty acid free, low endotoxin, lyophilized powder, BioReagent, suitable for cell culture, >=96% (agarose gel electrophoresis)	5	G	167.00	<b>125.25</b>
010	A2153-100G	Bovine Serum Albumin, lyophilized powder, >=96% (agarose gel electrophoresis)	100	G	468.00	<b>351.00</b>
011	G8644-100ML	D-(+)-Glucose solution, 100 g/L in H2O, sterile-filtered, BioXtra, suitable for cell culture	100	ML	67.50	<b>50.63</b>
012	G8769-100ML	D-(+)-Glucose solution, 45% in H2O, sterile-filtered, BioXtra, suitable for cell culture	100	ML	83.30	<b>62.48</b>
013	D4911-100G	Dextran sulfate sodium salt from Leuconostoc spp., mol wt 6,500-10,000	100	G	1470.00	<b>1102.50</b>
014	D2438-5X10ML	Dimethyl sulfoxide, sterile-filtered, BioPerformance Certified, meets EP, USP testing specifications, suitable for hybridoma	10	ML	199.00	<b>149.25</b>
015	D2438-50ML	Dimethyl sulfoxide, sterile-filtered, BioPerformance Certified, meets EP, USP testing specifications, suitable for hybridoma	50	ML	191.00	<b>143.25</b>

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
016	D8537-1L	Dulbecco's Phosphate Buffered Saline, Modified, without calcium chloride and magnesium chloride, liquid, sterile-filtered, suitable for cell culture	1	L	57.00	<b>42.75</b>
017	D8437-500ML	Dulbecco's Modified Eagle's Medium/Nutrient Mixture F-12 Ham, With L-glutamine, 15 mM HEPES, and sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	500	ML	51.10	<b>38.33</b>
018	D5671-500ML	Dulbecco's Modified Eagle's Medium - high glucose, With 4500 mg/L glucose and sodium bicarbonate, without L-glutamine and sodium pyruvate, liquid, sterile-filtered, suitable for cell culture, suitable for hybridoma	500	ML	34.00	<b>25.50</b>
019	D6429-500ML	Dulbecco's Modified Eagle's Medium - high glucose, With 4500 mg/L glucose, L-glutamine, sodium pyruvate, and sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	500	ML	41.80	<b>31.35</b>
020	D6546-500ML	Dulbecco's Modified Eagle's Medium - high glucose, With 4500 mg/L glucose, sodium pyruvate, and sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	500	ML	218.00	<b>163.50</b>
021	D6546-6X500ML	Dulbecco's Modified Eagle's Medium - high glucose, With 4500 mg/L glucose, sodium pyruvate, and sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	500	ML	41.80	<b>31.35</b>
022	D8537-500ML	Dulbecco's Phosphate Buffered Saline, Modified, without calcium chloride and magnesium chloride, liquid, sterile-filtered, suitable for cell culture	500	ML	28.00	<b>21.00</b>
023	D8537-6X500ML	Dulbecco's Phosphate Buffered Saline, Modified, without calcium chloride and magnesium chloride, liquid, sterile-filtered, suitable for cell culture	500	ML	145.00	<b>108.75</b>
024	D8537-6X1L	Dulbecco's Phosphate Buffered Saline, Modified, without calcium chloride and magnesium chloride, liquid, sterile-filtered, suitable for cell culture	1	L	293.00	<b>219.75</b>
025	D8537-100ML	Dulbecco's Phosphate Buffered Saline, Modified, without calcium chloride and magnesium chloride, liquid, sterile-filtered, suitable for cell culture	100	ML	14.00	<b>10.50</b>
026	D8662-500ML	Dulbecco's Phosphate Buffered Saline, With MgCl <sub>2</sub> and CaCl <sub>2</sub> , liquid, sterile-filtered, suitable for cell culture	500	ML	28.30	<b>21.23</b>
027	E2888-100ML	Earle's Balanced Salts, With sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	100	ML	12.60	<b>9.45</b>
028	E1649-1L	Ethylendiamine, meets USP testing specifications	1	L	244.00	<b>183.00</b>
029	E7889-100ML	Ethylendiaminetetraacetic acid disodium salt solution, for molecular biology, 0.5 M in H <sub>2</sub> O, DNase, RNase, NICKase and protease, none detected	100	ML	123.00	<b>92.25</b>
030	G1393-100ML	Gelatin solution, Type B, 2% in H <sub>2</sub> O, tissue culture grade, BioReagent, suitable for cell culture	100	ML	115.00	<b>86.25</b>

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
031	G6257-1L	Glutaraldehyde solution, Grade II, 25% in H2O	1	L	146.00	<b>109.50</b>
032	50950-2.5KG	Guanidine hydrochloride, >=98%	2.5	KG	199.00	<b>149.25</b>
033	H6648-500ML	Hanks' Balanced Salt solution, Modified, with sodium bicarbonate, without phenol red, calcium chloride and magnesium sulfate, liquid, sterile-filtered, suitable for cell culture	500	ML	31.70	<b>23.78</b>
034	H0887-100ML	HEPES solution, 1 M, pH 7.0-7.6, sterile-filtered, BioReagent, suitable for cell culture	100	ML	117.00	<b>87.75</b>
035	I9278-5ML	Insulin solution human, sterile-filtered, BioXtra, suitable for cell culture	5	ML	97.40	<b>73.05</b>
036	K0254-20ML	Kanamycin solution from Streptomyces kanamyceticus, 50 - 60 mg/mL in 0.9% NaCl, BioReagent, liquid, 0.1 µm filtered, suitable for cell culture	20	ML	149.00	<b>111.75</b>
037	L2020-1MG	Laminin from Engelbreth-Holm-Swarm murine sarcoma basement membrane, 1-2 mg/mL in Tris-buffered saline, 0.2 µm filtered, BioReagent, suitable for cell culture	1	MG	259.00	<b>194.25</b>
038	G7513-100ML	L-Glutamine solution, 200 mM, solution, sterile-filtered, BioXtra, suitable for cell culture	100	ML	45.00	<b>33.75</b>
039	G8540-100G	L-Glutamine, meets USP testing specifications, suitable for cell culture, 99.0-101.0%, from non-animal source	100	G	240.00	<b>180.00</b>
040	L9650-500G	Lithium chloride, for molecular biology, >=99%	500	G	390.00	<b>292.50</b>
041	L8917-250ML	LookOut(R) DNA Erase, Spray reagent for DNA decontamination of equipment and surfaces.	250	ML	71.00	<b>53.25</b>
042	M2670-1KG	Magnesium chloride hexahydrate, BioXtra, >=99.0%	1	KG	186.00	<b>139.50</b>
043	M7145-100ML	MEM Non-essential Amino Acid Solution (100x), without L-glutamine, liquid, sterile-filtered, BioReagent, suitable for cell culture	100	ML	47.00	<b>35.25</b>
044	M4526-500ML	Minimum Essential Medium Eagle, Alpha Modification, with sodium bicarbonate, without L-glutamine, ribonucleosides and deoxyribonucleosides, liquid, sterile-filtered, suitable for cell culture	500	ML	54.50	<b>40.88</b>
045	M7278-500ML	Minimum Essential Medium Eagle, HEPES Modification, with Earle's salts, 25 mM HEPES and sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	500	ML	52.00	<b>39.00</b>

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
046	M2279-500ML	Minimum Essential Medium Eagle, With Earle's salts and sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	500	ML	31.90	<b>23.93</b>
047	M2279-1L	Minimum Essential Medium Eagle, With Earle's salts and sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	1	L	33.80	<b>25.35</b>
048	M4655-500ML	Minimum Essential Medium Eagle, With Earle's salts, L-glutamine and sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	500	ML	59.70	<b>44.78</b>
049	N2889-100ML	Neutral Red Solution (0.33%), 3.3 g/L in DPBS, sterile-filtered, BioReagent, suitable for cell culture	100	ML	81.00	<b>60.75</b>
050	N6658-500ML	Nutrient Mixture F-12 Ham, With L-glutamine and sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	500	ML	37.30	<b>27.98</b>
051	N6013-100ML	Nutrient Mixture F-10 Ham, With sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	100	ML	13.70	<b>10.28</b>
052	P3032-1MU	Penicillin G sodium salt, powder, BioReagent, suitable for cell culture	1	MU	38.70	<b>29.03</b>
053	P4333-20ML	Penicillin-Streptomycin, Solution stabilized, with 10,000 units penicillin and 10 mg streptomycin/mL, 0.1 µm filtered, BioReagent, suitable for cell culture	20	ML	24.90	<b>18.68</b>
054	P4333-100ML	Penicillin-Streptomycin, Solution stabilized, with 10,000 units penicillin and 10 mg streptomycin/mL, 0.1 µm filtered, BioReagent, suitable for cell culture	100	ML	35.40	<b>26.55</b>
055	P4458-100ML	Penicillin-Streptomycin, Solution Stabilized, with 5,000 units penicillin and 5mg streptomycin/mL, 0.1 µm filtered, BioReagent, suitable for cell culture	100	ML	41.10	<b>30.83</b>
056	P0781-100ML	Penicillin-Streptomycin, with 10,000 units penicillin and 10 mg streptomycin per mL in 0.9% NaCl, 0.1 µm filtered, BioReagent, suitable for cell culture	100	ML	39.30	<b>29.48</b>
057	P0290-100ML	Phenol red solution, 0.5%, liquid, sterile-filtered, BioReagent, suitable for cell culture	100	ML	33.00	<b>24.75</b>
058	P4417-100TAB	Phosphate buffered saline, tablet	100	TAB	259.00	<b>194.25</b>
059	P4417-50TAB	Phosphate buffered saline, tablet	50	TAB	153.00	<b>114.75</b>
060	P3563-10PAK	Phosphate Buffered Saline with 0.05% TWEEN(R) 20, pH 7.4	10	PAK	142.00	<b>106.50</b>

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
061	P3813-10PAK	Phosphate buffered saline, powder, pH 7.4, for preparing 1 L solutions	10	PAK	109.00	<b>81.75</b>
062	P3813-1PAK	Phosphate buffered saline, powder, pH 7.4, for preparing 1 L solutions	1	PAK	17.40	<b>13.05</b>
063	P4707-50ML	Poly-L-lysine solution, 0.01%, sterile-filtered, BioReagent, suitable for cell culture	50	ML	239.00	<b>179.25</b>
064	P9327-100ML	Potassium chloride solution, 0.075 M, sterile-filtered, BioXtra, suitable for cell culture	100	ML	18.90	<b>14.18</b>
065	P5379-500G	Potassium phosphate monobasic, ReagentPlus(R)	500	G	58.60	<b>43.95</b>
066	R5886-500ML	RPMI-1640 Medium, HEPES Modification, With 25 mM HEPES, without L-glutamine., liquid, sterile-filtered, suitable for cell culture	500	ML	51.10	<b>38.33</b>
067	R7388-500ML	RPMI-1640 Medium, Modified, with 20 mM HEPES and L-glutamine, without sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	500	ML	55.50	<b>41.63</b>
068	R8758-500ML	RPMI-1640 Medium, With L-glutamine and sodium bicarbonate, liquid, sterile-filtered, suitable for cell culture	500	ML	35.00	<b>26.25</b>
069	R0883-500ML	RPMI-1640 Medium, With sodium bicarbonate, without L-glutamine, liquid, sterile-filtered, suitable for cell culture	500	ML	33.50	<b>25.13</b>
070	S8761-500ML	Sodium bicarbonate solution, solution (7.5%), sterile-filtered, BioReagent, suitable for cell culture	500	ML	58.10	<b>43.58</b>
071	S5761-500G	Sodium bicarbonate, powder, BioReagent, for molecular biology, suitable for cell culture, suitable for insect cell culture	500	G	68.50	<b>51.38</b>
072	S7653-1KG	Sodium chloride, BioXtra, >=99.5% (AT)	1	KG	165.00	<b>123.75</b>
073	S5150-1L	Sodium chloride solution, 5 M in H2O, BioReagent, for molecular biology, suitable for cell culture	1	L	87.30	<b>65.48</b>
074	71496-250G	Sodium phosphate monobasic, purum p.a., anhydrous, >=99.0% (T)	250	G	35.50	<b>26.63</b>
075	S0751-500G	Sodium phosphate monobasic, ReagentPlus(R), >=99.0%	500	G	94.20	<b>70.65</b>

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
076	S8636-100ML	Sodium pyruvate solution, 100 mM, sterile-filtered, BioReagent, suitable for cell culture	100	ML	21.40	<b>16.05</b>
077	71945-250G	Sodium salicylate, puriss. p.a., >=99.5% (NT)	250	G	77.50	<b>58.13</b>
078	S6639-1L	SSC Buffer 20x Concentrate, for Northern and Southern blotting, solution	1	L	114.00	<b>85.50</b>
079	D0819-500ML	StableCell(TM) DMEM - high glucose, With 4500 mg/L glucose, stable glutamine, and sodium bicarbonate, without sodium pyruvate., liquid, sterile-filtered, suitable for cell culture	500	ML	32.80	<b>24.60</b>
080	90362-500ML	Triethylammonium phosphate solution, BioXtra, 1 M in H2O	500	ML	358.00	<b>268.50</b>
081	252859-500G	Tris(hydroxymethyl)aminomethane, ACS reagent, >=99.8%	500	G	159.00	<b>119.25</b>
082	X100-100ML	Triton(TM) X-100, laboratory grade	100	ML	85.10	<b>63.83</b>
083	X100-5ML	Triton(TM) X-100, laboratory grade	5	ML	37.90	<b>28.43</b>
084	T9284-100ML	Triton(TM) X-100, BioXtra	100	ML	176.00	<b>132.00</b>
085	T8154-100ML	Trypan Blue solution, 0.4%, liquid, sterile-filtered, suitable for cell culture	100	ML	43.00	<b>32.25</b>
086	T8154-20ML	Trypan Blue solution, 0.4%, liquid, sterile-filtered, suitable for cell culture	20	ML	21.00	<b>15.75</b>
087	T4049-100ML	Trypsin-EDTA solution, 0.25%, sterile-filtered, BioReagent, suitable for cell culture, 2.5 g porcine trypsin and 0.2 g EDTA . 4Na per liter of Hanks' Balanced Salt Solution with phenol red	100	ML	36.20	<b>27.15</b>
088	T3924-100ML	Trypsin-EDTA solution, 1 x, sterile; sterile-filtered, BioReagent, suitable for cell culture, 0.5 g porcine trypsin and 0.2 g EDTA . 4Na per liter of Hanks' Balanced Salt Solution with phenol red	100	ML	32.70	<b>24.53</b>
089	T3924-500ML	Trypsin-EDTA solution, 1 x, sterile; sterile-filtered, BioReagent, suitable for cell culture, 0.5 g porcine trypsin and 0.2 g EDTA . 4Na per liter of Hanks' Balanced Salt Solution with phenol red	500	ML	135.00	<b>101.25</b>
090	T4174-100ML	Trypsin-EDTA solution, 10 x, sterile-filtered, BioReagent, suitable for cell culture, 5.0 g porcine trypsin and 2 g EDTA . 4Na per liter of 0.9% sodium chloride	100	ML	73.10	<b>54.83</b>

Ligne	Référence	Description	Qté.	Unit.	Prix cat. (CHF)	Avec rabais (CHF)
091	P9416-100ML	TWEEN(R) 20, for molecular biology, viscous liquid	100	ML	68.20	<b>51.15</b>
092	P1379-1L	TWEEN(R) 20, viscous liquid	1	L	88.70	<b>66.53</b>
093	P1754-1GA	TWEEN(R) 80, viscous liquid	1	GAL	405.00	<b>303.75</b>
094	16415-1KG	Vaseline(R), meets analytical specification of Ph. Eur.	1	KG	43.00	<b>32.25</b>
095	16415-10KG	Vaseline(R), meets analytical specification of Ph. Eur.	10	KG	254.00	<b>190.50</b>
096	W3500-100ML	Water, sterile-filtered, BioReagent, suitable for cell culture	100	ML	20.20	<b>15.15</b>
097	W3500-500ML	Water, sterile-filtered, BioReagent, suitable for cell culture	500	ML	56.60	<b>42.45</b>
098	95284-100ML	Water, for molecular biology, sterile filtered	100	ML	61.10	<b>45.83</b>
099	W4502-1L	Water, Nuclease-Free Water, for Molecular Biology	1	L	160.00	<b>120.00</b>
100	W4502-6X1L	Water, Nuclease-Free Water, for Molecular Biology	1	L	549.00	<b>411.75</b>



## Conditions pour la promotion:

1. Ces conditions s'ajoutent à nos conditions générales de vente ([cliquer ici](#)).
2. Les promotions sont offertes uniquement par Reactolab SA. Les remises sont appliquées sur les prix "catalogue" disponibles sur demande.
3. Les promotions sont valables du 1er novembre 2022 au 21 décembre 2022 (compris).
4. Les prix indiqués sont déjà remisés. (rabais non cumulables).
5. Les prix sont indiqués Hors Taxes.
6. Les stocks et la disponibilité des articles n'est pas garantie par Reactolab SA.