

Promotion MERCK TOP SELLERS.

Valable du 1^{er} novembre au 21 décembre 2022.

-25%

Sur les 100 articles les plus vendus du catalogue:

7 - Hematology & Histology

Voir conditions à la fin du document.

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
001	A3648-500ML	(3-Aminopropyl)triethoxysilane, >=98%	500	ML	314.00	235.50
002	A3648-100ML	(3-Aminopropyl)triethoxysilane, >=98%	100	ML	77.50	58.15
003	T8877-50G	2,3,5-Triphenyltetrazolium chloride, >=98.0% (HPLC)	50	G	340.00	255.00
004	T8877-10G	2,3,5-Triphenyltetrazolium chloride, >=98.0% (HPLC)	10	G	107.00	80.25
005	D9564-10MG	DAPI, dilactate, >=98% (HPLC)	10	MG	238.00	178.50
006	A7054-12X15ML	ACCUSPIN(TM) System-Histopaque(R)-1077	15	ML	319.00	239.25
007	A2055-10EA	ACCUSPIN(TM) Tubes Sterile, 50 mL Capacity	10	EA	152.00	114.00
008	A8097-10ML	Acridine Orange hydrochloride solution, 10 mg/mL in H2O	10	ML	174.00	130.50
009	A5268-10G	Alcian Blue 8GX, powder	10	G	309.00	231.75
010	A3157-25G	Alcian Blue 8GX, certified by the Biological Stain Commission	25	G	577.00	432.75
011	91A-1KT	alpha-Naphthyl Acetate (Non-Specific Esterase), Kit formulated with all liquid reagents.	1	KIT	424.00	318.00
012	A9655-25G	Auramine O, Dye content >=80 %, certified by the Biological Stain Commission	25	G	176.00	132.00
013	861030-25G	Auramine O, Dye content 85 %, certified by the Biological Stain Commission	25	G	59.40	44.55
014	32884-250ML	Giemsa Stain, Modified Solution, according to Giemsa	250	ML	47.60	35.70
015	HT10132-1L	Bouin's solution	1	L	147.00	110.25

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
016	B6756-100G	Brilliant Green, Dye content ~90 %	100	G	89.30	67.00
017	18909-100ML-F	Calcofluor White Stain, suitable for microbiology	100	ML	84.10	63.10
018	C0775-25G	Crystal Violet, certified by the Biological Stain Commission	25	G	98.30	73.75
019	06522-500ML	DPX Mountant for histology, slide mounting medium	500	ML	88.00	66.00
020	06522-100ML	DPX Mountant for histology, slide mounting medium	100	ML	25.20	18.90
021	HT110132-1L	Eosin Y solution, alcoholic	1	L	132.00	99.00
022	318906-500ML	Eosin Y solution, 5 wt. % in H ₂ O	500	ML	122.00	91.50
023	858390-100G	Eriochrome(R) Black T, ACS reagent (indicator grade)	100	G	87.30	65.50
024	03989-100ML	Eukitt(R) Quick-hardening mounting medium, for microscopy	100	ML	43.10	32.35
025	03989-500ML	Eukitt(R) Quick-hardening mounting medium, for microscopy	500	ML	172.00	129.00
026	F6377-100G	Fluorescein sodium salt, used as fluorescent tracer	100	G	91.40	68.55
027	F4680-25ML	Fluoromount(TM) Aqueous Mounting Medium, for use with fluorescent dye-stained tissues	25	ML	146.00	109.50
028	F6057-20ML	Fluoroshield(TM) with DAPI, histology mounting medium	20	ML	114.00	85.50
029	F6182-20ML	Fluoroshield(TM), histology mounting medium	20	ML	94.50	70.90
030	F9252-100ML	Folin & Ciocalteu's phenol reagent, suitable for determination of total protein by Lowry method, 2 N	100	ML	67.90	50.95

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
031	F9252-500ML	Folin & Ciocalteu's phenol reagent, suitable for determination of total protein by Lowry method, 2 N	500	ML	193.00	144.75
032	HT501128-4L	Formalin solution, neutral buffered, 10%, histological tissue fixative	4	L	98.30	73.75
033	GS500-500ML	Giemsa stain, modified	500	ML	65.90	49.45
034	GS1L-1L	Giemsa stain, modified	1	L	122.00	91.50
035	HT1004-100ML	Gold chloride solution, 200 mg/dL in deionized water	100	ML	151.00	113.25
036	94448-250ML-F	Gram's crystal violet solution, for microscopy	250	ML	29.70	22.30
037	75482-250ML-F	Gram's decolorizer solution	250	ML	42.40	31.80
038	90107-250ML-F	Gram's iodine solution, for microscopy	250	ML	36.90	27.70
039	94635-250ML-F	Gram's safranin solution, for microscopy	250	ML	27.90	20.95
040	H3136-25G	Hematoxylin, certified by the Biological Stain Commission	25	G	196.00	147.00
041	MHS32-1L	Hematoxylin Solution, Mayer's	1	L	103.00	77.25
042	MHS16-500ML	Hematoxylin Solution, Mayer's	500	ML	56.10	42.10
043	GHS132-1L	Hematoxylin Solution, Gill No. 1	1	L	111.00	83.25
044	GHS3128-4L	Hematoxylin Solution, Gill No. 3	4	L	365.00	273.75
045	GHS332-1L	Hematoxylin Solution, Gill No. 3	1	L	120.00	90.00

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
046	11191-100ML	Histopaque(R)-1119, sterile-filtered, density: 1.119 g/mL	100	ML	169.00	126.75
047	10771-500ML	Histopaque(R)-1077, sterile-filtered, density: 1.077 g/mL	500	ML	198.00	148.50
048	10771-6X100ML	Histopaque(R)-1077, sterile-filtered, density: 1.077 g/mL	100	ML	191.00	143.25
049	10771-100ML	Histopaque(R)-1077, sterile-filtered, density: 1.077 g/mL	100	ML	56.30	42.25
050	219916-100G	Hydroxy naphthol blue disodium salt, ACS reagent	100	G	159.00	119.25
051	219916-5G	Hydroxy naphthol blue disodium salt, ACS reagent	5	G	36.40	27.30
052	56822-50ML	Immersion oil, for microscopy	50	ML	20.80	15.60
053	56822-250ML	Immersion oil, for microscopy	250	ML	75.60	56.70
054	32922-250ML	Lugol solution, according to Lugol	250	ML	58.30	43.75
055	L6254-25G	Leishman's stain, used as histology stain	25	G	84.80	63.60
056	390A-1KT	Peroxidase (Myeloperoxidase) Leukocyte Kit, Hanker-Yates substrate kit	1	KIT	406.00	304.50
057	62650-1L-F	Lugol solution, for microscopy (Bact., Bot.)	1	L	76.40	57.30
058	MG1L-1L	May-Grünwald Stain	1	L	97.80	73.35
059	114510-25G	Methyl Orange, ACS reagent, Dye content 85 %	25	G	47.60	35.70
060	28514-100G	Methylene Blue hydrate, >=95% (calc. to the dried substance)	100	G	71.80	53.85

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
061	77515-100ML-F	Methylene Blue solution, for microscopy	100	ML	49.40	37.05
062	M9140-25G	Methylene blue, certified by the Biological Stain Commission	25	G	102.00	76.50
063	91C-1KT	Naphthol AS-D Chloroacetate (Specific Esterase) Kit	1	KIT	424.00	318.00
064	195243-25G	Naphthol Blue Black, Dye content 80 %	25	G	67.90	50.95
065	199737-25G	New Coccine, Dye content 75 %	25	G	67.00	50.25
066	D1556-250ML	OptiPrep(TM) Density Gradient Medium, used for cell and subcellular organelle isolation	250	ML	740.00	555.00
067	C85778-10G	o-Cresolphthalein, indicator grade	10	G	58.10	43.60
068	P3808-1KG	Paraplast X-TRA(R), for tissue embedding	1	KG	63.30	47.50
069	P3558-1KG	Paraplast(R), for tissue embedding	1	KG	50.40	37.80
070	P3750-25G	Pararosaniline hydrochloride	25	G	258.00	193.50
071	1804-15ML	Pararosaniline solution	15	ML	205.00	153.75
072	E6032-1CS	Peel-A-Way(TM) embedding molds, Square S-22	1	CS	248.00	186.00
073	GE17-0891-02	Percoll(R), Cytiva, 17-0891-02, pack of 250 mL	1	EA	270.00	202.50
074	395132-1L	Periodic acid solution, 1 g/dL in deionized water	1	L	240.00	180.00
075	395B-1KT	Periodic Acid-Schiff (PAS) Kit	1	KIT	348.00	261.00

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
076	02553-100ML	Phosphomolybdic acid solution, ready-to-use spray and plunge reagent, for chromatography	100	ML	50.90	38.20
077	P6744-1GA	Picric acid solution, 1.3% in H2O (saturated)	1	GAL	120.00	90.00
078	P8920-100ML	Poly-L-lysine solution, 0.1 % (w/v) in H2O	100	ML	243.00	182.25
079	P0425-72EA	Poly-Prep Slides, poly-L-lysine coated glass slides	72	EA	138.00	103.50
080	P7170-1L	Ponceau S solution, BioReagent, suitable for electrophoresis, 0.1 % (w/v) in 5% acetic acid	1	L	185.00	138.75
081	P4864-10ML	Propidium iodide solution, solution (1.0 mg/ml in water)	10	ML	174.00	130.50
082	R6626-25G	Rhodamine B, >=95% (HPLC)	25	G	64.90	48.70
083	S5133-1L	Schiff's fuchsin-sulfite reagent, suitable for detection of glycoproteins	1	L	101.00	75.75
084	S5133-500ML	Schiff's fuchsin-sulfite reagent, suitable for detection of glycoproteins	500	ML	57.80	43.35
085	3952016-500ML	Schiff's reagent	500	ML	125.00	93.75
086	SL2-100ML	Sigmacote(R), siliconizing reagent for glass and other surfaces	100	ML	269.00	201.75
087	199664-25G	Sudan Black B, certified by the Biological Stain Commission	25	G	119.00	89.25
088	17373-25G	Sudan red G, reagent for Ph. Eur.	25	G	47.00	35.25
089	465224-25G	Sunset Yellow FCF, Dye content 90 %	25	G	70.60	52.95
090	T0388-100G	Tartrazine, Dye content >=85 %	100	G	58.60	43.95

Ligne	Référence	Description	Qté.	Unité	Prix cat. (CHF)	Avec rabais (CHF)
091	16254-100G	Thymol, meets analytical specification of Ph. Eur., BP, NF, 99-101%	100	G	62.40	46.80
092	T0501-100G	Thymol, >=98.5%	100	G	82.90	62.20
093	T3260-5G	Toluidine Blue O, Technical grade	5	G	106.00	79.50
094	89640-25G	Toluidine Blue, for microscopy (Hist., Vit.)	25	G	196.00	147.00
095	89640-5G	Toluidine Blue, for microscopy (Hist., Vit.)	5	G	57.50	43.15
096	HT10516-500ML	Trichrome Stain AB solution	500	ML	529.00	396.75
097	93595-50ML	Trypan Blue solution, 0.4%, for microscopy	50	ML	38.90	29.20
098	93595-250ML	Trypan Blue solution, 0.4%, for microscopy	250	ML	108.00	81.00
099	94752-100G	Vanillin, tested according to Ph. Eur.	100	G	77.50	58.15
100	HT109-500ML	Weigert's iron hematoxylin solution, Part B	500	ML	212.00	159.00

Conditions pour la promotion:

1. Ces conditions s'ajoutent à nos conditions générales de vente ([cliquer ici](#)).
2. Les promotions sont offertes uniquement par Reactolab SA. Les remises sont appliquées sur les prix "catalogue" disponibles sur demande.
3. Les promotions sont valables du 1er novembre 2022 au 21 décembre 2022 (compris).
4. Les prix indiqués sont déjà remisés. (rabais non cumulables).
5. Les prix sont indiqués Hors Taxes.
6. Les stocks et la disponibilité des articles n'est pas garantie par Reactolab SA.